

Manufacturer article no.	Your Order no. Third party supplier	Product description
Cisco Systems		
SFP Transceiver - Fast Ethernet		
GLC-FE-100FX	PDA-GLC-FE-100FX	SFP, Fast Ethernet, 100Base-FX
GLC-FE-100LX	PDA-GLC-FE-100LX	SFP, Fast Ethernet, 100Base-LX
GLC-FE-100EX	PDA-GLC-FE-100EX	SFP, Fast Ethernet, 100Base-EX
GLC-FE-100ZX	PDA-GLC-FE-100ZX	SFP, Fast Ethernet, 100Base-ZX
SFP Transceiver - Gigabit Ethernet		
GLC-T	PDA-GLC-T	SFP, 1000Base-T, Copper Interface
GLC-SX-MM	PDA-GLC-SX-MM	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
GLC-LH-SM-10	PDA-GLC-LH-SM-10	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
GLC-LH-SM-20	PDA-GLC-LH-SM-20	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20km
GLC-LH-SM-40	PDA-GLC-LH-SM-40	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 40km
GLC-ZX-SM	PDA-GLC-ZX-SM	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
CWDM-SFP-xxxx	PDA-CWDM-SFP-xxxx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 80km
CWDM-SFP-xxxx-D	PDA-CWDM-xxxx-D	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, DDM
GBIC Transceiver - Gigabit Ethernet		
WS-G5483	PDA-WS-G5483	GBIC, 1000Base-T, Copper Interface
WS-G5484	PDA-WS-G5484	GBIC, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
WS-G5486	PDA-WS-G5486	GBIC, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
WS-G5487	PDA-WS-G5487	GBIC, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 80km
CWDM-GBIC-xxxx	PDA-CWDM-GBIC-xxxx	GBIC, 1.25 Gbps Gigabit Ethernet, 1G/2G GFC, CWDM, SMF, 80km
XENPAK Transceiver - 10 Gigabit Ethernet		
XENPAK-10GB-SR	PDA-XENPAK-10GB-SR	XENPAK, 10GBase-SR, 850nm, MMF, 82m
XENPAK-10GB-LR	PDA-XENPAK-10GB-LR	XENPAK, 10GBase-LR, 1310nm, SMF, 10 km
XENPAK-10GB-ER	PDA-XENPAK-10GB-ER	XENPAK, 10GBase-ER, 1550nm, SMF, 40 km
XENPAK-10GB-ZR	PDA-XENPAK-10GB-ZR	XENPAK, 10GBase-ZR, 1550nm, SMF, 80 km
DWDM-XENPAK-xxxx	PDA-DWDM-XENPAK-xxxx	XENPAK, 10GBase-ZR, DWDM, 80 km
X2 Transceiver - 10 Gigabit Ethernet		
X2-10GB-SR	PDA-X2-10GB-SR	X2, 10GBase-SR, 850nm, MMF
X2-10GB-LR	PDA-X2-10GB-LR	X2, 10GBase-LR, 1310nm, SMF
X2-10GB-ER	PDA-X2-10GB-ER	X2, 10GBase-ER, 1550nm, SMF
SFP Transceiver - Fibre Channel		
DS-SFP-FC2G-SW	PDA-DS-SFP-FC2G-SW	SFP, 1/2-GFC-Shortwave, LC
DS-SFP-FC4G-SW	PDA-DS-SFP-FC4G-SW	SFP, 1/2/4-GFC-Shortwave, LC
DS-SFP-FCGE-SW	PDA-DS-SFP-FCGE-SW	SFP, 1/2-GFC und Gigabit Ethernet-Shortwave, LC
SFP-GE-S	PDA-SFP-GE-S	SFP, 1G/2G Transceiver mit DDM
SFP-GE-L	PDA-SFP-GE-L	SFP, 1G/2G Transceiver mit DDM
SFP-GE-Z	PDA-SFP-GE-Z	SFP, 1G/2G Transceiver mit DDM
SFP Transceiver - 155 Mbps STM-1/OC-3		
SFP-OC3-SR	PDA-SFP-OC3-SR	SFP, OC-3/STM-1 Short-Reach, 1310nm, 2km
SFP-OC3-IR1	PDA-SFP-OC3-IR1	SFP, OC-3/STM-1 Intermediate-Reach, 1310nm, 15km
SFP-OC3-LR1	PDA-SFP-OC3-LR1	SFP, OC-3/STM-1 Long-Reach, 1310nm, 40km
SFP-OC3-LR2	PDA-SFP-OC3-LR2	SFP, OC-3/STM-1 Long-Reach, 1310nm, 80km
SFP Transceiver - 622 Mbps STM-4/OC-12		
SFP-OC12-SR	PDA-SFP-OC12-SR	SFP, OC-12/STM-4 Short-Reach, 1310nm 2km
SFP-OC12-IR1	PDA-SFP-OC12-IR1	SFP, OC-12/STM-4 Intermediate-Reach, 1310nm, 15km
SFP-OC12-LR1	PDA-SFP-OC12-LR1	SFP, OC-12/STM-4 Long-Reach, 1310nm, 40km
SFP-OC12-LR2	PDA-SFP-OC12-LR2	SFP, OC-12/STM-4 Long-Reach, 1550nm, 80km
SFP Transceiver - 2486 Mbps STM-16/OC-48		
SFP-OC48-SR	PDA-SFP-OC48-SR	SFP, OC-48/STM-16 Short-Reach, 1310nm, 2km, DDM
SFP-OC48-IR1	PDA-SFP-OC48-IR1	SFP, OC-48/STM-16 Intermediate-Reach, 1310nm, 15km, DDM
SFP-OC48-LR1	PDA-SFP-OC48-LR1	SFP, OC-48/STM-16 Long-Reach, 1310nm, 40km, DDM
SFP-OC48-LR2	PDA-SFP-OC48-LR2	SFP, OC-48/STM-16 Long-Reach, 1310nm, 80km, DDM
SFP Transceiver - BiDi Fast Ethernet		
GLC-FE-100BX-U	PDA-GLC-FE-100BX-U	SFP, 100Base-BX10-D, bidi, Tx1310nm/Rx1550nm
GLC-FE-100BX-D	PDA-GLC-FE-100BX-D	SFP, 100Base-BX10-D, bidi, Tx1550nm/Rx1310nm
SFP Transceiver - BiDi Gigabit Ethernet		
GLC-BX-U-10	PDA-GLC-BX-U-10	SFP, 1000Base-BX10-U, bidi, Tx1310nm/Rx1550nm, SC, SMF, 10km
GLC-BX-D-10	PDA-GLC-BX-D-10	SFP, 1000Base-BX10-D, bidi, Tx1550nm/Rx1310nm, SC, SMF, 10km
GLC-BX-U-20	PDA-GLC-BX-U-20	SFP, 1000Base-BX10-U, bidi, Tx1310nm/Rx1550nm, LC, SMF, 20km
GLC-BX-D-20	PDA-GLC-BX-D-20	SFP, 1000Base-BX10-D, bidi, Tx1550nm/Rx1310nm, LC, SMF, 20km
GLC-BX-U-40	PDA-GLC-BX-U-40-U-55	SFP, 1000Base-BX10-U, bidi, Tx1310nm/Rx1550nm, LC, SMF, 40km, DDM
GLC-BX-D-40	PDA-GLC-BX-D-40-D-55	SFP, 1000Base-BX10-D, bidi, Tx1550nm/Rx1310nm, LC, SMF, 40km, DDM
GLC-BX-U-40	PDA-GLC-BX-U-40-U-49	SFP, 1000Base-BX10-U, bidi, Tx1310nm/Rx1490nm, LC, SMF, 40km, DDM
GLC-BX-D-40	PDA-GLC-BX-D-40-D-49	SFP, 1000Base-BX10-D, bidi, Tx1490nm/Rx1310nm, LC, SMF, 40km, DDM

Manufacturer article no.	Your Order no. Third party supplier	Product description
Nortel Networks		
SFP Transceiver - Gigabit Ethernet		
AA1419043	PDA-AA1419043	SFP, 1000Base-T, Copper Interface
AA1419013	PDA-AA1419013	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
AA1419015	PDA-AA1419015	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
AA1419015-L20D	PDA-AA1419015-L20D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20km
AA1419037	PDA-AA1419037	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
AA1419033-xx	PDA-AA1419033-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
CWDM120 AA1419033-40	PDA-CWDM120 AA1419033-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 30dB, 120km
GBIC Transceiver - Gigabit Ethernet		
AA1419041	PDA-AA1419041	GBIC, 1000Base-T, Copper Interface
AA1419001	PDA-AA1419001	GBIC, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
AA1419002	PDA-AA1419002	GBIC, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
AA1419004	PDA-AA1419004	GBIC, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
AA1419017-xx	PDA-AA1419017-xx	GBIC, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
XFP Transceiver - 10 Gigabit Ethernet		
AA1403005	PDA-AA1403005	XFP, 10GBase-SR, MMF, 300m
AA1403001	PDA-AA1403001	XFP, 10GBase-LR, SMF, 10km
AA1403003	PDA-AA1403003	XFP, 10GBase-ER, SMF, 40km
Juniper Networks		
SFP Transceiver - Gigabit Ethernet		
SFP-1GE-T	PDA-SFP-1GE-T	SFP, 1000Base-T, Copper Interface
SFP-1GE-SX	PDA-SFP-1GE-SX	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
SFP-1GE-LX	PDA-SFP-1GE-LX	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
SFP-1GE-LX-L20D	PDA-SFP-1GE-LX-L20D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 15dB, 20km
SFP-1GE-LX-L40D	PDA-SFP-1GE-LX-L40D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20dB, 40km
SFP-1GE-LH	PDA-SFP-1GE-LH	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
SFP-1GE-LH-CWDM	PDA-SFP-1GE-LH-CWDM-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
SFP-1GE-LH-120-CWDM	PDA-SFP-1GE-LH-120-CWDM-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 30dB, 120km
XENPAK Transceiver - 10 Gigabit Ethernet		
XENPAK-1XGE-SR	PDA-XENPAK-1XGE-SR	XENPAK, 10GBase-SR, 850nm, MMF, 300m
XENPAK-1XGE-LR	PDA-XENPAK-1XGE-LR	XENPAK, 10GBase-LR, 1310nm, SMF, 10km
XENPAK-1XGE-ER	PDA-XENPAK-1XGE-ER	XENPAK, 10GBase-ER, 1550nm, SMF, 40km
XENPAK-1XGE-ZR	PDA-XENPAK-1XGE-ZR	XENPAK, 10GBase-ZR, 1550nm, SMF, 80km
HP		
SFP Transceiver - Gigabit Ethernet		
J4858A	PDA-J4858A	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
J4858B	PDA-J4858B	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
J4858C	PDA-J4858C	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
J4859A	PDA-J4859A	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
J4859B	PDA-J4859B	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
J4859B-L20D	PDA-J4859B-L20D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 15dB, 20km
J4859B-L40D	PDA-J4859B-L40D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20dB, 40km
J4859C	PDA-J4859C	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
J4860A	PDA-J4860A	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
J4860B	PDA-J4860B	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 80km
SFP Transceiver - Fibre Channel		
J7466B	PDA-J7466B	SFP, 1G/2G/4G FC
Extreme Networks		
SFP Transceiver - Gigabit Ethernet		
10051	PDA-10051	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
10052	PDA-10052	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
10052-L20D	PDA-10052-L20D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 15dB, 20km
10052-L40D	PDA-10052-L40D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20dB, 40km
10053	PDA-10053	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
GBIC Transceiver - Gigabit Ethernet		
10018	PDA-10018	GBIC, 1000Base-T, Copper Interface
10011	PDA-10011	GBIC, 1000Base-SX, 850nm, MMF, 550m
10013	PDA-10013	GBIC, 1000Base-LX, 1310nm, SMF, 10km
10017	PDA-10017	GBIC, 1000Base-ZX, 1550nm, SMF, 70km
10019	PDA-10019	GBIC, 1000Base-ZX, 1550nm, SMF, 120km
XENPAK Transceiver - 10 Gigabit Ethernet		
10110	PDA-10110	XENPAK, 10GBase-SR, 850nm, MMF, 300m
10111	PDA-10111	XENPAK, 10GBase-LR, 1310nm, SMF, 10 km
10112	PDA-10112	XENPAK, 10GBase-ER, 1550nm, SMF, 40 km
10113	PDA-10113	XENPAK, 10GBase-ZR, 1550nm, SMF, 80km

Manufacturer article no.	Your Order no. Third party supplier	Product description
Alcatel Lucent		
SFP Transceivers - Fast Ethernet		
SFP-100-LC-MM	PDA-SFP-100-LC-MM	SFP, 100 Mbps Fast Ethernet, 1310nm, MMF, 11.5dB, 2km
SFP-100-LC-SM15	PDA-SFP-100-LC-SM15	SFP, 100 Mbps Fast Ethernet, 1310nm, SMF/MMF, 13dB, 10km
SFP-100-LC-SM40	PDA-SFP-100-LC-SM40	SFP, 100 Mbps Fast Ethernet, 1310nm, SMF, 29dB, 40km
SFP Transceivers - Gigabit Ethernet		
MiniGBIC-T	PDA-MiniGBIC-T	SFP, 1000Base-T, Copper Interface
MiniGBIC-SX	PDA-MiniGBIC-SX	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
MiniGBIC-LX	PDA-MiniGBIC-LX	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
MiniGBIC-LH-20	PDA-MiniGBIC-LH-20	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 15dB, 20km
MiniGBIC-LH-40	PDA-MiniGBIC-LH-40	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20dB, 40km
MiniGBIC-LH-70	PDA-MiniGBIC-LH-70	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
MiniGBIC-CWDM	PDA-MiniGBIC-CWDM	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
MiniGBIC-120-CWDM	PDA-MiniGBIC-120-CWDM	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 30dB, 20km
GBIC - Transceivers - Gigabit Ethernet		
GBIC-C	PDA-GBIC-C	GBIC, 1000Base-T, Copper Interface
GBIC-SX	PDA-GBIC-SX	GBIC, 1000Base-SX, 850nm, MMF, 550m
GBIC-LX	PDA-GBIC-LX	GBIC, 1000Base-LX, 1310nm, SMF, 10km
GBIC-LH-70	PDA-GBIC-LH-70	GBIC, 1000Base-ZX, 1550nm, SMF, 70km
Riverstone Networks		
SFP Transceivers - Fast Ethernet		
SFPFX-09	PDA-SFPFX-09	SFP, 100 Mbps Fast Ethernet, 1310nm, SMF/MMF, 13dB, 10km
SFP Transceivers - Gigabit Ethernet		
SFPGE-12	PDA-SFPGE-12	SFP, 1000Base-T, Copper Interface
SFPGE-11/SFP-SX	PDA-SFPGE-11	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
SFPGE-19/SFP-LX	PDA-SFPGE-19	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
SFPGE-18/SFP-LH	PDA-SFPGE-18	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 80km
GBIC Transceiver - Gigabit Ethernet		
GIC-12	PDA-GIC-12	GBIC, 1000Base-T, Copper Interface
GIC-11	PDA-GIC-11	GBIC, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
GIC-19	PDA-GIC-19	GBIC, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
GIC-18	PDA-GIC-18	GBIC, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
GIC-CWDM-xxx	PDA-GIC-CWDM-xxx	GBIC, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
3COM		
SFP Transceiver - Gigabit Ethernet		
3CSFP93	PDA-3CSFP93	SFP, 1000Base-T, Copper Interface
3CSFP91	PDA-3CSFP91	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
3CSFP92	PDA-3CSFP92	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
3CSFP92-L20D	PDA-3CSFP92-L20D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 15dB, 20km
3CSFP92-L40D	PDA-3CSFP92-L40D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20dB, 40km
3CSFP97	PDA-3CSFP97	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
3CSFP97-CWDM	PDA-3CSFP97-CWDM-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
3CSFP97-120-CWDM	PDA-3CSFP97-120-CWDM-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 30dB, 120km
GBIC Transceiver - Gigabit Ethernet		
3CGBIC93	PDA-3CGBIC93	GBIC, 1000Base-T, Copper Interface
3CGBIC91	PDA-3CGBIC91	GBIC, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
3CGBIC92	PDA-3CGBIC92	GBIC, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
3CGBIC97	PDA-3CGBIC97	GBIC, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
3CGBIC97-CWDM	PDA-3CGBIC97-CWDM-xx	GBIC, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
XENPAK Transceiver - 10 Gigabit Ethernet		
3CXENPAK94	PDA-3CXENPAK94	XENPAK, 10GBase-SR, 850nm, MMF, 82m
3CXENPAK92	PDA-3CXENPAK92	XENPAK, 10GBase-LR, 1310nm, SMF, 10 km
3CXENPAK96	PDA-3CXENPAK96	XENPAK, 10GBase-ER, 1550nm, SMF, 40 km
XFP Transceiver - 10 Gigabit Ethernet		
3CXFP94	PDA-3CXFP94	XFP, 10GBase-SR, MMF, 850nm, MMF, 300m
3CXFP92	PDA-3CXFP92	XFP, 10GBase-LR, SMF, 1310nm, SMF, 10 km
3CXFP96	PDA-3CXFP96	XFP, 10GBase-ER, SMF, 1550nm, SMF, 40 km

Manufacturer article no.	Your Order no. Third party supplier	Product description
D-Link		
SFP Transceivers - Gigabit Ethernet		
DGS-712	PDA-DGS-712	SFP, 1000Base-T, Copper Interface
DEM-311GT	PDA-DEM-311GT	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 7dB, 550m
DEM-310GT	PDA-DEM-310GT	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF/MMF, 10dB, 10 km
DEM-315GT	PDA-DEM-315GT	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF/MMF, 22dB, 70km
GBIC Transceiver - Gigabit Ethernet		
DGS-711	PDA-DGS-711	GBIC, 1000Base-T, Copper Interface
DGS-705	PDA-DGS-705	GBIC, 1000Base-SX, 850nm, MMF, 550m
DGS-707	PDA-DGS-707	GBIC, 1000Base-LX, 1310nm, SMF, 10km
DGS-708	PDA-DGS-708	GBIC, 1000Base-ZX, 1550nm, SMF, 70km
XFP Transceiver - 10 Gigabit Ethernet		
DEM-421XT	PDA-DEM-421XT	XFP, 10GBase-SR, 850nm, MMF, 300m
DEM-422XT	PDA-DEM-422XT	XFP, 10GBase-LR, 1310nm, SMF, 10km
Foundry Networks		
SFP Transceiver - Gigabit Ethernet		
E1MG-TX	PDA-E1MG-TX	SFP, 1000Base-T, Copper Interface
E1MG-SX	PDA-E1MG-SX	SFP, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
E1MG-LX	PDA-E1MG-LX	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
E1MG-LX-L20D	PDA-E1MG-LX-L20D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 15dB, 20km
E1MG-LX-L40D	PDA-E1MG-LX-L40D	SFP, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 20dB, 40km
E1MG-LHA	PDA-E1MG-LHA	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 22dB, 70km
E1MG-LHB	PDA-E1MG-LHB	SFP, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 120km
E1MG-LHA-CWDM	PDA-E1MG-LHA-CWDM-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
E1MG-LHB-120-CWDM	PDA-E1MG-LHB-120-CWDM-xx	SFP, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 30dB, 120km
GBIC Transceiver - Gigabit Ethernet		
E1G-TX	PDA-E1G-TX	GBIC, 1000Base-T, Copper Interface
E1G-SX	PDA-E1G-SX	GBIC, 1.25 Gbps Gigabit Ethernet, 850nm, MMF, 550m
E1G-LX	PDA-E1G-LX	GBIC, 1.25 Gbps Gigabit Ethernet, 1310nm, SMF, 10km
E1G-LHA	PDA-E1G-LHA	GBIC, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 70km
E1G-LHB	PDA-E1G-LHB	GBIC, 1.25 Gbps Gigabit Ethernet, 1550nm, SMF, 100km
E1G-LH-CWDM	PDA-E1G-LH-CWDM-xx	GBIC, 1.25 Gbps Gigabit Ethernet, CWDM, SMF, 22dB, 80km
XENPAK Transceiver - 10 Gigabit Ethernet		
XNPK-SR	PDA-XNPK-SR	XENPAK, 10GBase-SR, 850nm, MMF, 300m
XNPK-LR	PDA-XNPK-LR	XENPAK, 10GBase-LR, 1310nm, SMF, 10km
XNPK-ER	PDA-XNPK-ER	XENPAK, 10GBase-ER, 1550nm, SMF, 40km
XNPK-ZR-DWDM-XXXX	PDA-XNPK-ZR-DWDM-XXXX	XENPAK, 10GBase-ZR, 10.3125 Gbps, DWDM, SMF, 23dB, 80km
XFP Transceiver - 10 Gigabit Ethernet		
10G-XFP-SR	PDA-10G-XFP-SR	XFP, 10GBase-SR, 850nm, MMF, 300m
10G-XFP-LR	PDA-10G-XFP-LR	XFP, 10GBase-LR, 1310nm, SMF, 10km
10G-XFP-ER	PDA-10G-XFP-ER	XFP, 10GBase-ER, 1550nm, SMF, 40km
XFP-ZR-DWDM-XXXX	PDA-XFP-ZR-DWDM-XXXX	XFP, 10GBase-ZR, 9.5-11.1 Gbps, DWDM, SMF, 24dB, 80km
Avaya		
SFP Transceiver- Gigabit Ethernet		
700283872	PDA-700283872	SFP, 1000Base-T, Copper Interface
108873241	PDA-108873241	SFP, 1000Base-SX, 850nm, MMF, 550m
108873258	PDA-108873258	SFP, 1000Base-LX, 1310nm, SMF, 10km
720260185	PDA-720260185	SFP, 1000Base-ZX, 1550nm, SMF, 70km
GBIC Transceiver- Gigabit Ethernet		
108659228	PDA-108659228	GBIC, 1000Base-SX, 850nm, MMF, 550m
108659210	PDA-108659210	GBIC, 1000Base-LX, 1310nm, SMF, 10km
700013147	PDA-700013147	GBIC, 1000Base-ZX, 1550nm, SMF, 70km

Manufacturer article no.	Your Order no. Third party supplier	Product description
Linksys		
SFP Transceiver- Gigabit Ethernet		
MGBT1	PDA-MGBT1	SFP, 1000Base-T, Copper Interface
MGBSX1	PDA-MGBSX1	SFP, 1000Base-SX
MGBLH1	PDA-MGBLH1	SFP, 1000Base-LX
Huawei Technologies		
GBIC Transceiver- Gigabit Ethernet		
GBIC-T	PDA-GBIC-T	GBIC, 1000Base-T, Copper Interface
GBIC-SX	PDA-GBIC-SX	GBIC, 1000Base-SX, 850nm, MMF, 550m
GBIC-LX10	PDA-GBIC-LX10	GBIC, 1000Base-LX, 1310nm, SMF, 10km
GBIC-HX30	PDA-GBIC-HX30	GBIC, 1000Base-LX, 1310nm, SMF, 30km
GBIC-HX40	PDA-GBIC-HX40	GBIC, 1000Base-ZX, 1550nm, SMF, 40km
GBIC-ZX70	PDA-GBIC-ZX70	GBIC, 1000Base-ZX, 1550nm, SMF, 70km
GBIC-ZX100	PDA-GBIC-ZX100	GBIC, 1000Base-ZX, 1550nm, SMF, 100km
SFP Transceiver- Gigabit Ethernet		
SFP-T	PDA-SFP-T	SFP, 1000Base-T, Copper Interface
LS-SFP-SX	PDA-LS-SFP-SX	SFP, 1000Base-SX, 850nm, MMF, 550m
LS-SFP-LX	PDA-LS-SFP-LX	SFP, 1000Base-LX, 1310nm, SMF, 10km
LS-SFP-LH-1310	PDA-LS-SFP-LH-1310	SFP, 1000Base-LX, 1310nm, SMF, 40km
LS-SFP-LH-1550	PDA-LS-SFP-LH-1550	SFP, 1000Base-ZX, 1550nm, SMF, 40km
LS-SFP-ZX	PDA-LS-SFP-ZX	SFP, 1000Base-ZX, 1550nm, SMF, 70km
Marconi		
SFP Transceiver - 155 Mbps STM-1/OC-3		
SU66AA	MAR-SFP-155M-L15D	SFP S1.1, 155 Mbps, 1310nm, SMF, 13dB, 15km, DDM
SU66AB	MAR-SFP-155M-L40D	SFP L1.1, 155 Mbps, 1310nm, SMF, 28dB, 40km, DDM
SFP Transceiver - 622 Mbps STM-4/OC-12		
SU67AA	MAR-SFP-622M-L15D	SFP S4.1, 622 Mbps, 1310nm, SMF, 13dB, 15 km
SU67AB	MAR-SFP-622M-L40D	SFP L4.1, 622 Mbps, 1310nm, SMF, 28dB, 40 km
SFP Multirate Transceiver - 100 Mbps - 2.7 Gbps		
SU68AA	MAR-SFP-MR2D	SFP, 11/4/16.1, 100 Mbps - 2.7 Gbps, Multirate, 1310nm, SMF, 10dB, 2km, DDM
SU68AB	MAR-SFP-MR15D	SFP, S1/4/16.1, 100 Mbps - 2.7 Gbps, Multirate, 1310nm, SMF, 13dB, 15km, DDM
Enterasys Secure Networks		
GBIC Transceiver - Gigabit Ethernet		
GPIM-02	PDD-GPIM-02-C	GBIC, 1000Base-T
GPIM-01	PDD-GPIM-01-C	GBIC, 1000Base-SX
GPIM-09	PDD-GPIM-09-C	GBIC, 1000Base-LX
GPIM-08	PDD-GPIM-08-C	GBIC, 1000Base-ZX
SFP Transceiver - Gigabit Ethernet		
MGBIC-02	PDD-MGBIC-02-C	SFP, 1000Base-T
MGBIC-LC01	PDD-MGBIC-LC01-C	SFP, 1000Base-SX, LC
MGBIC-LC03	PDD-MGBIC-LC03-C	SFP, 1000Base-SX, LC, MMF, 2km
MGBIC-LC09	PDD-MGBIC-LC09-C	SFP, 1000Base-LX, LC
XENPAK Transceiver - 10 Gigabit Ethernet		
10GBASE-SR	PDD-10GBASE-SR-C	XENPAK, 10GBase-SR, SC, MMF, 300m
10GBASE-LR	PDD-10GBASE-LR-C	XENPAK, 10GBase-LR, SC, SMF, 10km
10GBASE-ER	PDD-10GBASE-ER-C	XENPAK, 10GBase-ZR, SC, SMF, 40km
XFP Transceiver - 10 Gigabit Ethernet		
10GBASE-SR-XFP	PDD-10GBASE-SR-XFP-C	XFP, 10GBase-SR, LC, MMF, 300m
10GBASE-LR-XFP	PDD-10GBASE-LR-XFP-C	XFP, 10GBase-LR, LC, SMF, 10km
10GBASE-ER-XFP	PDD-10GBASE-ER-XFP-C	XFP, 10GBase-ER, LC, SMF, 40km

Your Order number	Product description
Brocade zertifiziert	
SFP Transceiver	
F-FTRJ8519P1BNL	SFP, 1/2 GFC, GbE, 850nm, MMF, 550m, DDM
F-FTLF8524P2BNL	SFP, 1/2/4 GFC, 850nm, MMF, 550m, DDM
F-FTLF8524P2BNV	SFP, 1/2/4 GFC, GbE, 850nm, MMF, 550m, DDM
F-FTLF1324P2BTV	SFP, 1/2/4 GFC, GbE, 1310nm, SMF, 4km, DDM
F-FTLF1424P2BCD	SFP, 1/2/4 GFC, 1310nm, SMF, 10km, DDM
F-FTLF1424P2BCL	SFP, 1/2/4 GFC, 1310nm, SMF, 30km
F-FTRJ1319P1BTL	SFP, 1/2 GFC, GbE, 1310nm, SMF, 40km, DDM
F-FWDM-1621-7D-CWDM	SFP, 1/2 GFC, GbE, OC-48, CWDM, SMF, 100km, DDM
XFP Transceiver	
F-FTLX8511D3	XFP, 10GBase-SR, 10.5Gbps, 850nm, MMF, 300m
F-FTLX1411D3	XFP, 10GFC, 10GBase-LR, 10.5 Gbps, 1310nm, SMF, 10km
MIRIC	
SFP Transceiver - MIRIC	
4120050000	SFP, MIRIC E1
4120070000	SFP, MIRIC T1
4120060000	SFP, MIRIC E3
4120040000	SFP, MIRIC T3
5130010000	SFP, MIRICI GbE bridge to E3/T3
5130050000	SFP, MIRICI Fast Ethernet SerDes bridge to E3/T3
without Coding	
SFP Transceiver - Fast Ethernet	
SFP-1765-PDD	SFP, 100Base-TX, Copper Interface
SFP-1146-PDD	SFP, 100Base-SX, 1310nm, SMF/MMF, 550m
SFP-1254-PDD	SFP, 100Base-FX, 850nm, SMF/MMF, 2km
SFP-1045-PDD	SFP, 100Base-FX, 1310nm, SMF/MMF, 2km
F-FTLF1217P2BTL	SFP, 100Base-FX, OC-1/3, 1310nm, MMF, 2km, DDM
SFP-1046-PDD	SFP, 100Base-LX, 1310nm, SMF, 10km
SFP Transceiver - Gigabit Ethernet	
F-FCLF-8520-3	SFP, 1000Base-T, Copper Interface
SFP-1249-PDD	SFP, 1000Base-SX, LC, 850nm, MMF, 550m, DDM
SFP-1136-PDD	SFP, 1000Base-LX, 1310nm, LC, SMF, 10dB, 10km, DDM
SFP-1134-PDD	SFP, 1000Base-LX, 1310nm, LC, SMF, 20km, DDM
SFP-1135-PDD	SFP, 1000Base-LX, 1310nm, LC, SMF, 40km, DDM
SFP-1152-PDD	SFP, 1000Base-ZX, 1550nm, LC, SMF, 80km, DDM
SFP-1151-PDD	SFP, 1000Base-ZX, 1550nm, LC, SMF, 120km, DDM
SFP-1210-PDD	SFP, CWDM, GbE, LC, SMF, 22dB, DDM
SFP-1191-PDD	SFP, CWDM, GbE, LC, SMF, 30dB, DDM
SFP Transceiver - Gigabit Ethernet & Fibre Channel	
F-FTRJ8519P1BNL	SFP, 1/2 GFC, GbE, 2.125 Gbps, 850nm, MMF, 550m, DDM
F-FTLF8524P2BNV	SFP, 1/2/4 GFC, GbE, 4.25 Gbps, 850nm, MMF, 550m, DDM
F-FTLF1324P2BTV	SFP, 1/2/4 GFC, GbE, 4.25 Gbps, 1310nm, SMF, 4km, DDM
F-FTLF1318P2BCL	SFP, 1 GFC, GbE, 1.25 Gbps, 1310nm, SMF, 10km
F-FTLF1319P1BTL	SFP, 1/2 GFC, GbE, 2.125 Gbps, 1310nm, SMF, 10km, DDM
F-FTLF1424P2BCD	SFP, 1/2/4 GFC, GbE, 4.25 Gbps, 1310nm, SMF, 10km, DDM
F-FTLF1424P2BCV	SFP, 1/2/4 GFC, GbE, 4.25 Gbps, 1310nm, SMF, 30km, DDM
F-FTLF1419P1BCL	SFP, 1/2 GFC, GbE, 2.125 Gbps, 1310nm, SMF, 55km, DDM
F-FTLF1519P1BCL	SFP, 1/2 GFC, GbE, 2.125 Gbps, 1550nm, SMF, 90km, DDM
F-FTLF1619P1BCL	SFP, 1/2 GFC, GbE, 2.125 Gbps, 1550nm, SMF, 115km, DDM
F-FWLF-1524P2Vxx	SFP, CWDM, 1/2/4 GFC, OC-12/48, 1470nm-1610nm (8 ch), SMF, 17dB, 30km, DDM
F-FWDM-1521-7D-xx	SFP, CWDM, 1/2 GFC, GbE, OC-12/48, 1470nm-1610nm (8 ch), SMF, 28dB, 50km, DDM
F-FWLF-1519-7D-xx	SFP, CWDM, 1 GFC, GbE, OC-12, 1470nm-1610nm (8 ch), SMF, 30dB, 80km, DDM
F-FWDM-1619-7D-xx	SFP, CWDM, 1 GFC, GbE, OC-12, 1470nm-1610nm (8ch), 30dB, 120km, DDM
F-FWLF-1631-xx	SFP, DWDM, 1/2 GFC, GbE, OC-12/48, 45 ch. C-Band, SMF, 28dB, 100km, DDM
F-FWLF1631Rxx	SFP, DWDM, 1/2 GFC, GbE, OC-12/48, 45 ch. C-Band, SMF, 32dB, 180km, DDM
F-FWLF1634RLxx	SFP, DWDM, 1/2/4 GFC, GbE, OC-12/48, 45 ch. C-Band, SMF, 80km, DDM
SFP Transceiver - Gigabit Ethernet & Fibre Channel & OC-48	
F-FTLF1321P1BTL	SFP, 1/2 GFC, GbE, OC-48 SR, 2.67 Gbps, 1310nm, SMF, 2km, DDM
F-FTLF1421P1BCL	SFP, 1/2 GFC, GbE, OC-48 IR-1, 2.67 Gbps, 1310nm, SMF, 15km, DDM
F-FTLF1521P1BCL	SFP, 1/2 GFC, GbE, OC-48 IR-2, 2.67 Gbps, 1550nm, SMF, 15km, DDM
F-FTLF1721P2BCL	SFP, 1/2 GFC, GbE, OC-48 LR-1, 2.67 Gbps, 1310nm, SMF, 40km, DDM
F-FTLF1621P2BCL	SFP, 1/2 GFC, GbE, OC-48 LR-2, 2.67 Gbps, 1550nm, SMF, 80km, DDM

Your Order number	Product description
without Coding	
SFP Transceiver - 1x/2x Fibre Channel	
SFP-1251-PDD	SFP, GFC 1.0625-2.125G, 850nm, MMF, 300m, DDM
SFP-1138-PDD	SFP, GFC 1.0625-2.125G, 1310nm, SMF, 10km, DDM
SFP Transceiver - 1x/2x/4x Fibre Channel	
F-FTLF8524P2BNV	SFP, 1/2/4 GFC, 850nm, MMF, 7dB, 150m, DDM
F-FTLF1324P2BTL	SFP, 1/2/4 GFC, 1310nm, SMF, 10dB, 5km, DDM
F-FTLF1424P2BCD	SFP, 1/2/4 GFC, 1310nm, SMF, 10dB, 10km, DDM
F-FTLF1424P2BCL	SFP, 1/2/4 GFC, 1310nm, SMF, 18dB, 30km, DDM
F-FWLF1524P2Vxx	SFP, 1/2/4 GFC, CWDM, SMF, 18dB, 50km, DDM
F-FWLF1634Lxx	SFP, 1/2/4 GFC, DWDM, SMF, 30dB, 80km, DDM
SFP Transceiver - 155 Mbps STM-1/OC-3	
SFP-1126-PDD	SFP, 155Mbps, 1310nm, SMF, 2km, DDM
SFP-1124-PDD	SFP, 155Mbps, 1310nm, SMF, 15km, DDM
SFP-1127-PDD	SFP, 155Mbps, 1310nm, SMF, 40km, DDM
SFP-1148-PDD	SFP, 155Mbps, 1550nm, SMF, 80km, DDM
SFP Transceiver - 622 Mbps STM-4/OC-12	
SFP-1129-PDD	SFP, 622Mbps, 1310nm, SMF, 15km, DDM
SFP-1132-PDD	SFP, 622Mbps, 1310nm, SMF, 40km, DDM
SFP-1150-PDD	SFP, 622Mbps, 1550nm, SMF, 80km, DDM
F-FWDM-1521-7D-xx	SFP, 622Mbps, CWDM, SMF, 28dB, 50km, DDM
F-FWLF-1519-7D-xx	SFP, 622Mbps, CWDM, SMF, 30dB, 80km, DDM
F-FWDM-1619-7D-xx	SFP, 622Mbps, CWDM, SMF, 30dB, 100km, DDM
SFP Multirate Transceiver - 100 Mbps - 2.7 Gbps	
SFP-1141-PDD	SFP, 155Mbps-2.67G, 1310nm, SMF, 2km, DDM
SFP-1140-PDD	SFP, 155Mbps-2.67G, 1310nm, SMF, 15km, DDM
SFP-1142-PDD	SFP, 155Mbps-2.67G, 1310nm, SMF, 40km, DDM
SFP-1153-PDD	SFP, 155Mbps-2.67G, 1550nm, SMF, 80km, DDM
SFP-1229-PDD	SFP, CWDM, 155Mbps-2.67G, wavelength 1470nm-1610nm, SMF, 18dB, 50km, DDM
SFP-1248-PDD	SFP, CWDM, 155Mbps-2.67G, wavelength 1270nm-1610nm, SMF, 28dB, 80km, DDM
SFP-1172-PDD	SFP, CWDM, 155Mbps-2.67G, wavelength 1470nm-1610nm, SMF, 30dB, 100km, DDM
SFP-1765-PDD	SFP, DWDM, 100Mbps-2.67G, SMF, DDM
F-FWLF-1631-xx	SFP, 622 Mbps - 2.7 Gbps, Multirate, DWDM, SMF, 28dB, 120km, DDM
F-FWLF-1631R-xx	SFP, 622 Mbps - 2.7 Gbps, Multirate, DWDM, SMF, 32dB, 160km, DDM
SFP BiDi Transceivers - 155 Mbps	
SFP-1255-PDD	SFP, bi-directional, 100 Mbps - 155 Mbps, TX=1310nm, RX=1550nm, SMF, 20km, DDM
SFP-1257-PDD	SFP, bi-directional, 100 Mbps - 155 Mbps, TX=1550nm, RX=1310nm, SMF, 20km, DDM
SFP BiDi Transceivers - Gigabit Ethernet	
SFP-1259-PDD	SFP, bi-directional 1000Base, TX=1310nm, RX=1490nm, SMF, 10km, DDM
SFP-1029-PDD	SFP, bi-directional 1000Base, TX=1490nm, RX=1310nm, SMF, 10km, DDM
SFP-1260-PDD	SFP, bi-directional 1000Base, TX=1310nm, RX=1490nm, SMF, 20km, DDM
SFP-1031-PDD	SFP, bi-directional 1000Base, TX=1490nm, RX=1310nm, SMF, 20km, DDM
SFP-1032-PDD	SFP, bi-directional 1000Base, TX=1310nm, RX=1490nm, SMF, 40km, DDM
SFP-1033-PDD	SFP, bi-directional 1000Base, TX=1490nm, RX=1310nm, SMF, 40km, DDM
GBIC Transceiver - Gigabit Ethernet	
SFP-1068-PDD	GBIC, 1000Base-SX, SC, 850nm, MMF, 550m
SFP-1069-PDD	GBIC, 1000Base-LX, SC, 1310nm, SMF, 10km
SFP-1070-PDD	GBIC, 1000Base-LX, SC, 1310nm, SMF, 20km
SFP-1071-PDD	GBIC, 1000Base-ZX, SC, 1550nm, SMF, 50km
SFP-1072-PDD	GBIC, 1000Base-ZX, SC, 1550nm, SMF, 80km
SFP-1073-PDD	GBIC, 1000Base-ZX, SC, 1550nm, SMF, 120km

Your Order number	Product description
without Coding	
GBIC Transceiver - Gigabit Ethernet & Fibre Channel	
F-FTL-8519-3D-2.5	GBIC, 1/2 GFC, 2.125 Gbps, SC, 850nm, MMF, 550m, DDM
F-FTL-8519-3D	GBIC, 1 GFC, GbE, 1.25 Gbps, SC, 850nm, MMF, 550m
F-FTL-8519-3D-DD	GBIC, 1 GFC, GbE, 1.25 Gbps, SC, 850nm, MMF, 550m
F-FTL-1319-3D-2.5	GBIC, 1/2 GFC, 2.125 Gbps, SC, SMF, 10km, DDM
F-FTL-1319-3D	GBIC, 1 GFC, GbE, 1.25 Gbps, SC, SMF, 1310nm, 10km
F-FTL-1419-3D	GBIC, 1 GFC, GbE, 1.25 Gbps, SC, SMF, 1310nm, 40km, DDM
F-FTL-1519-3D	GBIC, 1 GFC, GbE, 1.25 Gbps, SC, SMF, 1550nm, 80km, DDM
F-FTR-1619-55	GBIC, 1 GFC, GbE, 1.25 Gbps, SC, SMF, 1550nm, 120km, DDM
F-FTL-1619-xx	GBIC, CWDM, 1 GFC, GbE, 1470nm-1610nm, SMF, 120km, DDM
F-FTR-1631-xx	GBIC, DWDM, 1/2 GFC, GbE, OC-12/48, 45 ch C-Band, SMF, 28dB, 100km, DDM
F-FTR-1629-xx	GBIC, DWDM, 1 GFC, GbE, OC-12, 45 ch. C-Band, SMF, 30dB, 120km, DDM
SFP+ Transceiver - 2x/4x/8x Fibre Channel	
F-FTL8528P2BCV	SFP+, 2/4/8 GFC, 8.5 Gbps, 850nm, OM2 MMF, 50m, DDM
F-FTL1428P2BCV	SFP+, 2/4/8 GFC, 8.5 Gbps, 1310nm, SMF, 10km, DDM
SFP+ Transceiver - 10 Gigabit Ethernet	
F-FTLX8572D3BCL	SFP+, 10GBase-SR (lite, non Standard), 10.3 Gbps, 850nm, MMF, 75m/150m, DDM
F-FTLX1371D3BCL	SFP+, 10GBase-LRM, 10.3 Gbps, 1310nm, MMF, 220m, DDM
F-FTLX8571D3BCL	SFP+, 10GBase-SR, 10.5 Gbps, 850nm, MMF, 82m/300m, DDM
F-FTLX1471D3BCL	SFP+, 10GBase-LR, 10.5 Gbps, 1310nm, SMF, 10km, DDM
XFP Transceiver - 10 Gigabit Ethernet	
F-FTLX8511D3	XFP, 10GBase-SR, 9.953-10.3125Gbps, 850nm, MMF/SMF, 300m, DDM
F-FTLX1411M3	XFP, 10GBase-LR, 9.953-10.3125Gbps, 1310nm, SMF, 10km, DDM
F-FTLX1411D3	XFP, 10GBase-LR, 10.5 Gbps, 1310nm, SMF, 10km, DDM
F-FTLX1611M3	XFP, 10GBase-ZR, 9.953-10.3125Gbps, 1550nm, SMF, 40km, DDM
F-FTLX1811M3	XFP, 10GBase-ZR, 9.953-10.3125Gbps, 1550nm, SMF, 80km, DDM
F-FTLX3611M3xx	XFP, 10GBase-ER, 9.5-10.7 Gbps, DWDM, 13dB, SMF, 40km, DDM
F-FTLX3811M3xx	XFP, 10GBase-ZR, 9.5-11.1 Gbps, DWDM, SMF, 24dB, 80km, DDM
X2 Transceiver - 10 Gigabit Ethernet & 10 Gigabit Fibre Channel	
F-FTLX1341E2	X2, 10GBase-LRM, 10.3 Gbps, SC, 1310nm, SMF, 220m
F-FTLX8541E2	X2, 10GBase-SR, 10.3 Gbps, SC, 850nm, MMF, 82m/300m, DDM
F-FTLX8541F2	X2, 10GFC, 10.5 Gbps, SC, 850nm, MMF, 82m/300m, DDM
F-FTLX1441E2	X2, 10GBase-LR, 10.3 Gbps, SC, 1310nm, SMF, 10km, DDM
F-FTLX1441F2	X2, 10GFC, 10.5 Gbps, SC, 1310nm, SMF, 10km, DDM
F-FTLX1841E2	X2, 10GBase-ZR, 10.3 Gbps, SC, 1550nm, SMF, 80km
F-FTLX3841D2-xx	X2, DWDM, 10GBase-ZR, 10.3 Gbps, SC, 1550nm, SMF, 80km
XENPAK Transceiver - 10 Gigabit Ethernet & 10 Gigabit Fibre Channel	
F-FTLX8551F3	XENPAK, 10GFC, 10.5 Gbps, 850nm, MMF, 82m/300m
F-FTLX8551E3	XENPAK, 10GBase-SR, 10.3 Gbps, 850nm, MMF, 82m/300m
F-FTLX1451F2	XENPAK, 10GFC, 10.5 Gbps, 1310nm, SMF, 10km
F-FTLX1451E2	XENPAK, 10GBase-LR, 10.3 Gbps, 1310nm, SMF, 10km

Lieferbedingungen deutsch:

Preise gültig bis 31.12.2008

Weitere Transceiver sind auf Anfrage erhältlich.

Die Preise verstehen sich netto zuzüglich der gesetzlichen MwSt. und gelten bei einem Mindestbestellwert von 800,- EUR.

Bei einem Bestellwert von weniger als 800,- EUR berechnen wir einen Mindermengenzuschlag von 25,- EUR.

Wir bitten zu berücksichtigen, dass wir uns vorbehalten, auch per Nachnahme oder per Vorauskasse zu liefern.

Es gelten die Liefer- und Verkaufsbedingungen der Pan Dacom Direkt GmbH.

Der Gewährleistungszeitraum beträgt 12 Monate.

Als Versandkostenzuschlag für Lieferungen kleiner 5.000,- EUR berechnen wir:

Normallieferung: 15,- EUR; Expresslieferung: 25,- EUR

Wir behalten uns zwischenzeitliche Preisänderungen vor.

Alle Angaben ohne Gewähr.

Pan Dacom Direkt GmbH setzt Transceiver von Herstellern ein, die zu den Markengeräten wie zum Beispiel von Cisco System und Nortel Networks kompatibel sind. Unsere Transceiver sind Vergleichsprodukte zu den Transceivern der Originalhersteller.

Für Fragen stehen wir Ihnen gerne zur Verfügung unter +49 (0) 6103 / 932 - 333

Ihr Pan Dacom Direkt Team

Managing Directors
Dipl. Ing. Dirk Bachmann
Dipl. Ing. Thomas Seel

Pan Dacom Direkt GmbH
Dreieich Plaza 1B
63303 Dreieich

Local court: Offenbach
VAT No.: DE8135297
WEEE-Reg.-Nr. DE 2

international sales conditions:

Prices are valid until end of 2008.

Further transceiver are available on request.

The a. m. prices are net prices, ex works Dreieich and for a minimum PO volume of 800,- €.

Payment conditions: Cash in advance or irrevocable c

Attached please find the general terms and conditions

The period of warranty is 12 months.

On the base of exchange rate fluctuations we reserve

No responsibility is taken for the correctness of this inf

Pan Dacom Direkt GmbH sells transceivers which Cisco or Nortel. Our transceivers are compairable ones.

If you have any further question, please do not hesitat

to contact us under +49 (0) 6103 / 932 - 777

Your Pan Dacom Direkt Team